

TEST REPORT:

Report of Goggle Testing of
Model WORKSAFE BIONIX

REPORT TO:

PDS International Pte Ltd.
10 Pandan Crescent, #05-03/04 (LL2)
UE Tech Park
Singapore 128466

ATTENTION:

Mr. Stuart Seah

REPORT DATE:

August 6, 2007

REPORT TO: PDS International Pte Ltd. **PROJECT:** Report of Goggle
10 Pandan Crescent, #05-03/04 (LL2) Testing of Model
UE Tech Park WORKSAFE BIONIX
Singapore 128466

ATTENTION: Mr. Stuart Seah **PSI PROJECT NO.:** 823-76032

DATE: August 6, 2007 **PSI LAB NO.:** SPT-70184-15

Professional Service Industries, Inc. (PSI) has performed testing on the referenced project. The results of our tests are presented in the accompanying report.

On August 6, 2007, Professional Service Industries, Inc. (PSI) received twenty-five (25) Goggles, identified as, Model WORKSAFE BIONIX, from PDS International Pte Ltd. On August 6, 2007, PSI tested these Goggles in general accordance with the ANSI Z87.1-2003 specification.


Our services for this project were performed in accordance with PSI Proposal No. 823-7052, dated January 9, 2007. The proposal included a proposed scope of services, estimated costs, unit rates, and PSI's General Conditions. Authorization to perform this project was in the form of signed acceptance of the aforementioned proposal, acknowledged March 13, 2007.

PSI has not conducted flammability testing per ANSI Z87.1-2003, Paragraph 7.6. Conformance of the product to the standard is contingent upon documentation of the compliance of resins to ASTM D635-97.

The results contained in this report are related only to the item(s) tested. The pages of this report (including attachments) shall not be reproduced, except in full, without written approval of PSI. All testing was conducted by and under the continuous, direct supervision of Professional Service Industries, Inc.

Final Conclusion: The PDS International Pte Ltd. Model WORKSAFE BIONIX Does Comply with the ANSI Z87.1-2003 specification with exception to Paragraph 7.6 as stated above.

Respectfully submitted,
Professional Service Industries, Inc.


Denis J. Columbare
Lab Technician, Electrical/Special Test


Paul B. Medwig
Manager, Electrical/Special Test

REPORT OF GOGGLE TESTING

Test/Property	ANSI Z87.1 Paragraph	Location	ANSI Z87.1 Requirement	Test Results	Acceptance
High velocity impact	8.3.1.2	LEFT: 15° nasal	No orbital contact or hazardous ejections Lens shall not fracture, shall be retained in frame.	Acceptable	Pass
		0°		Acceptable	
		15° temporal		Acceptable	
		30°		Acceptable	
		45°		Acceptable	
		60°		Acceptable	
		75°		Acceptable	
		90°		Acceptable	
		90° 10 mm high		Acceptable	
		90° 10 mm low		Acceptable	
		RIGHT: 15° nasal		Acceptable	
		0°		Acceptable	
		15° temporal		Acceptable	
		30°		Acceptable	
		45°		Acceptable	
		60°		Acceptable	
		75°		Acceptable	
		90°		Acceptable	
		90° 10 mm high		Acceptable	
		90° 10 mm low		Acceptable	





REPORT OF GOGGLE TESTING

Test/Property	ANSI Z87.1 Paragraph	Location	ANSI Z87.1 Requirement	Test Results	Acceptance
High mass impact	8.3.1.1	Left 1	No hazardous ejections, lens shall not fracture, lens shall be retained in frame	Acceptable	Pass
		Left 2		Acceptable	
		Right 1		Acceptable	
		Right 2		Acceptable	
Drop ball impact	8.2.2.1		No fracture	Acceptable	Pass
Penetration	8.3.1.3		No fracture, no penetration, lens shall be retained in frame	Acceptable	Pass
Prismatic power	8.4.2		$1/4 \Delta$ max	0.250Δ	Pass
Vertical prism imbalance	8.4.2		$1/8 \Delta$ max	0.031Δ	Pass
Horizontal prism imbalance	8.4.2		$1/8 \Delta$ max base in, $1/2 \Delta$ max base out	0.031Δ Base in	Pass
Refractive power	8.4.3		$\pm 1/16$ d. max	0.0620 d.	Pass
Astigmatism	8.4.3		$1/16$ d. max	0.060 d.	Pass
Resolving Power	8.4.4		Pattern 20 min	Pattern 20	Pass
Haze	8.4.5		3% max	0.47%	Pass



REPORT OF GOGGLE TESTING

Test/Property	ANSI Z87.1 Paragraph	Location	ANSI Z87.1 Requirement	Test Results	Acceptance
Transmittance	8.5.2				
Visible		Left		94.4 %	
		Right		94.3 %	
		L/R ratio	0.90-1.10	1.00	Pass
Flammability	8.6			*	*
Corrosion resistance	8.7		Function not impaired	Acceptable	Pass
Cleanability	8.8		Function not impaired	Acceptable	Pass
Marking	8.12	Lens	Manufacturer, shade and specification compliance	Acceptable	Pass
		Body	Manufacturer and specification compliance	Acceptable	Pass

* Acceptance is contingent upon receipt of certificate of compliance to ASTM D635-97 from the resin manufacturer.